
# PLANIKA FIRES

"Diseños para vivir y ser vividos"





# **INDEX**

- **03** OUR STORY/DESIGN FIRE
- **04** BEV® TECHNOLOGY
- 05 NET ZERO®
- 06 AUTOMATIC BEV® FIREPLACES
- 38 ELECTRIC FIREPLACES
- 42 GAS FIREPLACES
- **52** OUTDOOR COLLECTION





## BEV® TECHNOLOGY

### GAME-CHANGING INNOVATION IN FIREPLACE INDUSTRY

The BEV® technology is the most advanced technology on the fireplace market and it has revolutionized the industry. It is now possible to have a line of fire in a media wall under TV, in an apartment on a higher floor, arranged as a room divider or even on a yacht. For years now, this innovative solution has been taking projects with real fire to the next level. You can use fireplaces with the BEV® technology anywhere you want, without any limitations. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

### PLANIKA AUTOMATIC FIRE



## HOW DOES THE BEV® TECHNOLOGY WORK?

The entire burning process is fully automated. The fireplace takes only the required amount of fuel from the tank and the pump transports it to the combustion chamber. The bioethanol is vapourised and distributed along the entire length of the burner where it is then combusted. The fire does not come in any direct contact with the liquid fuel. Thanks to the isolated fuel tank, the cooling fans and the combustion chamber, the temperature of the ethanol fuel is always low and safe.

The microprocessor communicates with many sensors inside the fireplace and controls its entire operation. The fireplace informs you of any actions with a sound signal and a message in the mobile app. The convenient remote control of the fireplace eliminates any risk of human error.

## NET ZERO®

### CARBON NEUTRAL SOLUTION FOR PREMIUM DESIGN


Planika's mission is to create safe fireplaces that leave little to no impact on the environment. Our automatic fireplaces with the BEV® technology are fuelled with bioethanol - organic eco-fuel. This allows to use our products where traditional fireplaces are prohibited by the environmental restrictions. Planika has developed the cutting-edge solution - the true  $CO_2$ - neutral fireplaces of the future.

## WHAT IS FANOLA FUEL?



- 96% ethanol concentration
- odourless and clean combustion
- plant-origin distillate
- ✓ particulate-free
- ✓ multi-distillated
- pharmaceutical quality
- √ natural, golden flame

## HOW ARE PLANIKA'S BEV® FIREPLACES CO<sub>2</sub> NEURAL?



Planika's fireplaces utilize multi-rectified bioethanol which is made from plants, such as wheat, corn or potatoes. The BEV® Technology turns liquid fuel into ethanol vapours to provide the safest combustion process

and the most natural fire. The clean burning of ethanol vapours emits only a small amount of  $\rm CO_2$  – similar to that exhaled by a human. No ash, soot, or smoke are produced. 100% of the emissions are absorbed by the same plants that are used to produce the biofuel. This way the carbon emission process comes full circle.



### **WORK WITH PROFFESIONALS**



TECHNICAL TRAININGS



ARCHITECT ZONE WITH 3D MODELS



PROJECT SUPPORT









**AUTOMATIC ETHANOL BURNER** (Net Zero® fireplace with BEV® Technology)

### FIRE LINE AUTOMATIC 3 (FLA3 BURNER)



## FIRE LINE AUTOMATIC 3+ (FLA3+ BURNER)



#### **FEATURES**

- Automatic refilling system
- Remote control
- 6 levels of flame
- Safety sensors
- Variant with larger fuel tank (FLA3+)
- Smart Home System compatible
- Top finish:
  - -Black powder coating (standard)
  - -Stainless steel (optional)
  - -RAL colour (optional)

#### **OPTIONAL ACCESSORIES**

- Glass screens
- Decorative tray with logs or stones
- Smart Home System module
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements



















SINGLE-SIDED

LEFT / RIGHT CORNER

THREE-SIDED

ROOM DIVIDER TUNNEL

ISLAND

	FLA3 / FLA3+						
WITH	590 mm	790 mm	990 mm	1190 mm	1490 mm	1990 mm	2490 mm
+4+	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW	max. 13.0 kW	max. 18.0 kW	max. 22.5 kW
٥	3.1 L / 9.6 L	4.3 L / 13.4 L	5.5 L / 17.2 L	6.8 L / 21.0 L	8.6 L / 26.8 L	11.7 L / 36.3 L	14.8 L / 45.9 L
	max. 6.0 h / 29.0 h	max. 9.0 h / 29.0 h	max. 10.0 h / 31.0 h	max. 11.0 h / 35.0 h	max. 11.0 h / 35.0 h	max. 12.0 h / 36.0 h	max. 12.0 h / 36.0 h
1	min. 31 m³	min. 44 m³	min. 70 m <sup>3</sup>	min. 94 m³	min. 130 m³	min. 180 m³	min. 225 m <sup>3</sup>
i	19.9 kg / 22.4 kg	24.1 kg / 32.0 kg	27.5 kg / 38.5 kg	33.0 kg / 44.0 kg	39.5 kg / 52.5 kg	49.5 kg / 67.5 kg	58.5 kg / 81.5 kg
, šše	230 V						

















AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)

### FORMA FIREPLACE (with FLA3 / FLA3+ burner)



#### **FEATURES**


- FLA3/FLA3+ technical features
- Zero clearance installation in combustible materials
- Heat deflector mount TV above the fireplace
- 7 lenghts and 7 arrangement options
- Easy installation
- Higher side glass panels available in Tunnel, Room Divider and Island models

#### **OPTIONAL ACCESSORIES**

- Decorative tray with logs or stones
- Smart Home System module



	FORMA FIREPLACE WITH FLA3 / FLA3+ BURNER						
MILITA	BURNER 590 mm FIREPLACE 800 mm	BURNER 790 mm FIREPLACE 1000 mm	BURNER 990 mm FIREPLACE 1200 mm	BURNER 1190 mm FIREPLACE 1500 mm	BURNER 1490 mm FIREPLACE 1800 mm	BURNER 1990 mm FIREPLACE 2300 mm	BURNER 2490 mm FIREPLACE 2700 mm
+4+	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW	max. 13.0 kW	max. 18.0 kW	max. 22.5 kW
۵	FLA3 3.1 L FLA3+ 9.6 L	FLA3 4.3 L FLA3+ 13.4 L	<b>FLA3</b> 5.5 L <b>FLA3+</b> 17.2 L	<b>FLA3</b> 6.8 L <b>FLA3+</b> 21.0 L	FLA3 8.6 L FLA3+ 26.8 L	fla3 11.7 L fla3+ 36.3 L	FLA3 14.8 L FLA3+ 45.9 L
<b>l</b> o	FLA3 max. 6.0 h FLA3+ max. 29.0 h	FLA3 max. 9.0 h FLA3+ max. 29.0 h	FLA3 max. 10.0 h FLA3+ max. 31.0 h	FLA3 max. 11.0 h FLA3+ max. 35.0 h	FLA3 max. 11.0 h FLA3+ max. 35.0 h	FLA3 max. 12.0 h FLA3+ max. 36.0 h	FLA3 max. 12.0 h FLA3+ max. 36.0 h
1	min. 31 m <sup>3</sup>	min. 44 m <sup>3</sup>	min. 70 m³	min. 94 m³	min. 130 m <sup>3</sup>	min. 180 m³	min. 225 m <sup>3</sup>
Š.	230 V						










**AUTOMATIC ETHANOL BURNER** (Net Zero® fireplace with BEV® Technology)

## PANORAMA FIREPLACE



#### **FEATURES**


- Automatic refilling system
- External control panel
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Zero clearance
- Finish: black powder coating
- Smart Home System compatible

#### **OPTIONAL ACCESSORIES**

- Decorative logs or stones
- Smart Home System module



	PANORAMA
MATERIA	BURNER 990 mm
+(2)+	max. 7.0 kW
٥	5.51
10	max. 10.0 h
	min. 70 m <sup>3</sup>
, ŠK	230 V







**AUTOMATIC ETHANOL BURNER** (Net Zero® fireplace with BEV® Technology)

## **STONE CORE**



#### **FEATURES**

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Smart Home System compatible

#### **OPTIONAL ACCESSORIES**

Smart Home System module

#### **AVAILABLE FINISHING VARIANTS**


- 3 finishing options by Cosentino:
   Silestone Gris or Dekton Laurent and Daze
- Stone Core for custom-build housing

ULTRACOMPACT STONE BY COSENTINO

## STONE GRIS / LAURENT / DAZE



	STONE CORE / GRIS / LAURENT / DAZE		
+4+	max. 5 kW		
	13,4 L		
	max. 29 h		
1	min. 50 m³		
, K	230 V		





**AUTOMATIC ETHANOL BURNER** (Net Zero® fireplace with BEV® Technology)

## **ROCK CORE**



#### **FEATURES**

- Easy refilling replacable canister
- Remote control
- 2 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included

#### **AVAILABLE FINISHING VARIANTS**

- 3 finishing options by Cosentino: Silestone Gris or Dekton Laurent and Daze
- Rock Stone Core for custom-build housing

ULTRACOMPACT STONE BY **COSENTINO** 

## ROCK GRIS / LAURENT / DAZE




	ROCK CORE / GRIS / LAURENT / DAZE
+4+	max. 3.5 kW
۵	51
<b>L</b> D	max. 33 h
	min. 35 m³
, SK	230 V





**AUTOMATIC ETHANOL BURNER** (Net Zero® fireplace with BEV® Technology)

### PRIME FIRE BURNER



#### **FEATURES**

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Top finish: black powder coating


#### **OPTIONAL ACCESSORIES**

- Glass screens
- Decorative tray with logs or stones
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements





	PRIME FIRE			
WITH THE	590 mm	790 mm	990 mm	1190 mm
* <u>\( \dagger</u> \)	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW
٥	3.1 L	4.3 L	5.5 L	6.8 L
<b>l</b> o	max. 6.0 h	max. 9.0 h	max. 10.0 h	max. 11.0 h
	min. 31 m <sup>3</sup>	min. 44 m³	min. 70 m³	min. 94 m³
i	19.9 kg	24.1 kg	27.5 kg	33.0 kg
, K	230 V			







AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)

### FORMA FIREPLACE (with Prime Fire burner)



#### **FEATURES**

- Prime Fire technical features
- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Zero clearance
- Finish: black powder coating

#### **OPTIONAL ACCESSORIES**

Decorative tray with logs or stones



	FORMA FIREPLACE WITH PRIME FIRE BURNER			
MINISTER	BURNER 590 mm FIREPLACE 800 mm	BURNER 790 mm FIREPLACE 1000 mm	BURNER 990 mm FIREPLACE 1200 mm	BURNER 1190 mm FIREPLACE 1500 mm
+4+	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW
٥	3.1 L	4.3 L	5.5 L	6.8 L
	max. 6.0 h	max. 9.0 h	max. 10.0 h	max. 11.0 h
	min. 31 m³	min. 44 m³	min. 70 m³	min. 94 m³
X.	230 V			





**AUTOMATIC ETHANOL BURNER** (Net Zero® fireplace with BEV® Technology)

## RONDO AUTOMATIC BURNER



#### **FEATURES**


- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Top finish: black powder coating
- Smart Home System compatibile

#### **OPTIONAL ACCESSORIES**

• Smart Home System module

	RONDO AUTOMATIC
+4+	max. 3.1 kW
۵	4,5 L
	max. 30 h
	min. 31 m³
×.	230 V







**AUTOMATIC ETHANOL BURNER** (Net Zero® fireplace with BEV® Technology)

### **NEO BURNER**



#### **FEATURES**

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors

#### **OPTIONAL ACCESSORIES**

• Decorative grate with logs

## **NEO** FIREPLACE



#### **FEATURES**

- Zero clearance
- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors

### DETACHABLE SIDE PANELS







### OPTIONAL ACCESSORIES

• Decorative grate with logs

	NEO BURNER 500 / 750 / 1000	NEO FIREPLACE 500 / 750 / 1000
+4+	3.1 / 4.1 / 5.9 kW	3.1 / 4.1 / 5.9 kW
+ <b>()</b> +	1.7 / 2.1 / 2.9 L	1.7 / 2.1 / 2.9 L
	5/6/4h	5/6/4h
	min. 31 / 41 / 59 m³	min. 31 / 41 / 59 m³
jš.	23	0 V





**AUTOMATIC ETHANOL BURNER** (Net Zero® fireplace with BEV® Technology)

### **PIANO**



#### **FEATURES**

- Freestanding or wall mounted
- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating
- built-in deflector and soundbar hanger

#### **OPTIONAL ACCESSORIES**

- Decorative grate
- TV bracket

### **POLARIS**



#### **FEATURES**

- Removable fuel tank
- Freestanding
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

#### **OPTIONAL ACCESSORIES**

• Decorative logs

	PIANO	POLARIS	
+4+	max. 2,5 kW	max. 3.5 kW	
	1.3 L	5.0 L	
	max. 4.5 h	max. 33 h	
:	min. 25 m <sup>3</sup>	min. 35 m³	
	49 kg	36.5 kg	
Š.	230 V		







**AUTOMATIC ETHANOL BURNER** (Net Zero® fireplace with BEV® Technology)

## **BASKET FIRE LOGS**



#### **FEATURES**

- Automatic refilling system
- Freestanding
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

#### **OPTIONAL ACCESSORIES**

• Decorative grate

## **SCANDI**



#### **FEATURES**

- Removable fuel tank
- Freestanding
- Flue connector (For optional heat extraction)
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

#### **OPTIONAL ACCESSORIES**

• Decorative logs or pebbles

	BASKET FIRE LOGS	SCANDI	
+•+	max. 2.8 kW	max. 4.1 kW	
٥	1.75 L	5.0 L	
	max. 6.5 h	max. 33 h	
‡	min. 28 m³	min. 41 m <sup>3</sup>	
Ì	14.5 kg	62.0 kg	
X.	230 V		





# **INDOOR ETHANOL FIRES**



**AUTOMATIC ETHANOL BURNER** (Net Zero® fireplace with BEV® Technology)

# L-FIRE BURNER



#### **FEATURES**

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

# L-FIRE FIREPLACE



### **FEATURES**

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

# **OPTIONAL ACCESSORIES**

• Optional frame or frame + mesh

# PURE FLAME FIREPLACE



# **FEATURES**

- Automatic refilling system
- Insert for installation in furniture
- Remote control
- 2 levels of flame
- Safety sensors
- Finish: black powder coating

	L-FIRE BURNER	L-FIRE FIREPLACE	PURE FLAME FIREPLACE
<b>+\( \rightarrow \)</b>	max. 4.4 kW	max. 4.4 kW	max. 5 kW
	6.0 L	6.0 L	5.0 L
	max. 13 h	max. 13 h	max. 12.0 h
:	$\text{min.}44\text{m}^3$	min. $44~\mathrm{m}^3$	min. 50 m³
	15.2 kg	27 kg	18.6 kg
<b>X</b>	230 V		








# ELECTRIC FIREPLACES



# **INDOOR ELECTRIC FIRES**

# **ASTRO FIREPLACE**



#### **OPTIONAL ACCESSORIES**



# **DETACHABLE SIDE PANELS (INCLUDED IN SET)**

# INSTALLATION OPTIONS



	ASTRO			
THE THE	850 mm	1200 mm	1500 mm	1800 mm
i	42.0 kg	59.0 kg	72.5 kg	85.0 kg
+ • •	Two-stage heating power: 1500 W & 3000 W			
jš.	230 V			





# GAS FIREPLACES





# **INDOOR GAS FIRES**

LINEAR GAS FIREPLACE (Balanced Flue System)

# **VALENTINO FIREPLACE**



# **FEATURES**

- NG or LPG gas
- Modular Burner
- Remote control
- Smart Home System compatible
- Thermostat
- Ceramic glass
- Back wall finish:
  - -Black matte steel (standard)
- Decorative accessories:
  - -Logs, vermiculite & chips (included)

# **OPTIONAL ACCESSORIES**











# **ARRANGEMENT OPTIONS**







RIGHT CORNER



LEFT CORNER



THREE-SIDED

	VALENTINO		
MARKETAN	1000 mm	1300 mm	
+4+	(NG) max. 6.4 kW (LPG) max. 6.7 kW	(NG) max. 8.5 kW (LPG) max. 7.4 kW	
GAS	(NG) max. 0.9 m³/h (LPG) max. 0.7 kg/h	(NG) max. 1.2 m³/h (LPG) max. 0.78 kg/h	
	Concentric flue 200/130		
, šše	230 V		

<sup>\*</sup>For single sided arrangement only

# **INDOOR GAS FIRES**

**CAMPFIRE GAS FIREPLACE** (Balanced Flue System)

# MONROE FIREPLACE



# **FEATURES**

- NG or LPG gas
- Modular Burner
- Remote control
- Smart Home System compatible
- Thermostat
- Ceramic glass
- Back wall finish:
   -Black matte steel (standard)
- Decorative accessories: -Logs, vermiculite & chips (included)

# **OPTIONAL ACCESSORIES**







# **ARRANGEMENT OPTIONS**









SINGLE-SIDED LEFT CORNER

RIGHT CORNER

THREE-SIDED

	MONROE	
+4+	(NG) max. 8.3 kW (LPG) max. 9.2 kW	
GAS	(NG) max. 1.2 m³/h (LPG) max. 0.96 kg/h	
a	Concentric flue	
jķ.	230 V	

<sup>\*</sup>For single sided arrangement only

# **INDOOR GAS FIRES**

LINEAR GAS FIREPLACE (Conventional Flue System)

# SINATRA FIREPLACE



# **FEATURES**

- NG or LPG gas
- Custom length and shape
- Remote control
- Smart Home System compatible
- Back wall finish:
  - -Black matte steel
- Decorative accessories:
  - -Black vermiculite (included)
- Ceramic glass

# **OPTIONAL ACCESSORIES**











# ARRANGEMENT OPTIONS















SINGLE-SIDED

LEFT CORNER

RIGHT CORNER

THREE-SIDED

TUNNEL

ROOM-DIVIDER

ISLAND


	SINATRA			
WHITE IN	1200 mm	1600 mm	2000 mm	2400 mm
+4+	(NG) max. 10.3 kW (LPG) max. 9.5 kW	(NG) max. 15.0 kW (LPG) max. 14.3 kW	(NG) max. 19.7 kW (LPG) max. 19.0 kW	(NG) max. 19.8 kW (LPG) max. 20.0 kW
GAS	(NG) max. 1.09 m³/h (LPG) max. 0.75 kg/h	(NG) max. 1.58 m³/h (LPG) max. 1.12 kg/h	(NG) max. 2.09 m³/h (LPG) max. 1.50 kg/h	(NG) max. 2.09 m³/h (LPG) max. 1.57 kg/h
Ą	Conventional			
jš.	230 V			

<sup>\*</sup>Antireflective glass available only for 1200, 1600 and 2000 length



















# OUTDOOR / INDOOR ETHANOL FIRES

**AUTOMATIC ETHANOL FIREPLACES** (Net Zero® fireplace with BEV® Technology)

# **CABO BURNER**



# CABO GRIS / LAURENT / DAZE

#### **FEATURES**

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Weather resistant


#### **OPTIONAL ACCESSORIES**

Protective fabric cover

#### **AVAILABLE FINISHING VARIANTS**

- 3 finishing options by Cosentino: Silestone Gris or Dekton Laurent and Daze
- Cabo Burner for custom-build housing

ULTRACOMPACT STONE BY COSENTINO



PORTO GRIS / LAURENT / DAZE



- Automatic refilling system
- Remote control
- 6 levels of flame
- Safety sensors
- Weather resistant
- Portable includes wheels

# **OPTIONAL ACCESSORIES**

Protective fabric cover

# **AVAILABLE FINISHING VARIANTS**

3 finishing options by Cosentino: Silestone Gris or Dekton Laurent and Daze

ULTRACOMPACT STONE BY COSENTINO

	CABO	PORTO
+4+	max. 9.4 kW	max. 3.7 kW
+ <b>()</b> +	5 L	5 L
	max. 8 h	max. 14 h
	min. 94 m³ (if used indoors)	min. 37 m³ (if used indoors)
Š.	230 V	





# OUTDOOR / INDOOR ETHANOL FIRES COMMERCE TECHNOLOGY<sup>TM</sup> (Absorbent Ceramic Fibers)




# **FEATURES**

- Easy refilling system
- Safe burning technology
- No electricity required



	TOTEM	JAR	RONDO	SIMPLE
THE THE PERSON NAMED IN COLUMN 1	[ØxH] 395 x 1070 mm	[ØxH] 410 x 795 mm	[ØxH] 412 x 412 mm	[ØxH] 308 x 418 mm
i	24.5 kg	41.5 kg	7.0kg	6.5 kg
<b>(</b> )	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW	max. 2.5 kW
٥	3.0 L	3.0 L	3.0 L	1.5 L
100	max. 7 h	max. 7 h	max. 7 h	max. 3.5 h
	min. 25 m³	min. 25 m³	min. 25 m³	min. 25 m³



# OUTDOOR / INDOOR ETHANOL FIRES

FIREPLACES IN TABLE (Net Zero® fireplace with BEV® Technology)

# CABO TABLE LAURENT / DAZE



# **FEATURES**

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant

# **OPTIONAL ACCESSORIES**

Protective fabric cover

#### **AVAILABLE FINISHING VARIANTS**

2 finishing options by Cosentino: Silestone Gris or Dekton Laurent

ULTRACOMPACT STONE BY **COSENTINO** 



	CABO TABLE
+4+	max. 9.4 kW
<b>***</b>	10.5 L
	max. 15 h
	min. 94 m³
, K	230 V



GAS FIREPLACES (With automatic control system)

# GALAXY TABLE LAURENT / DAZE



#### **FEATURES**

- Automatic control system
- Remote control
- Smart home compatible
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

# **AVAILABLE VARIANTS**

- 2 finishing options:
  - Dekton Laurent and Daze by Cosentino

ULTRACOMPACT STONE BY **E COSENTINO** 

# PIVOT LAURENT / DAZE



#### **FEATURES**


- Automatic control system
- Remote control
- Smart home compatible
- Gas Cylinder (propane or propane-butane mixture) powered
- Thermocouple
- Smooth flame height regulation
- Easy to install



	GALAXY TABLE	PIVOT
+4+	(NG) max. 10.1kW (LPG) max. 13.4kW	(LPG) max. 11.8 kW
GAS	(NG) max. 0.96 m³/h (LPG) max. 0.95 kg/h	(LPG) max. 0.93 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(LPG) 37 mbar

GAS FIREPLACES (With automatic control system)

# **GALAXY** 1150 / 2000 BURNER



# **FEATURES**

- Automatic control system
- Remote control
- Smart home compatible
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

#### **AVAILABLE VARIANTS**

- 4 finishing options:
  - Dekton Laurent and Daze by Cosentino
  - Corten or black steel
- Galaxy Burner for custom-build housing


ULTRACOMPACT STONE BY **E COSENTINO** 

# GALAXY BLACK / CORTEN / DAZE / LAURENT






	GALAXY 1150 BURNER / BLACK / CORTEN / DAZE / LAURENT	GALAXY 2000 BURNER
<b>.</b>	(NG) max. 10.1kW (LPG) max. 13.4kW	(NG) max. 18.6 kW (LPG) max. 22 kW
GAS	(NG) max. 0.96 m³/h (LPG) max. 0.95 kg/h	(NG) max. 1.77 m³/h (LPG) max. 1.56 kg/h
$\bigcirc$	(NG) 20 mbar (LPG) 37 mbar	(NG) 20 mbar (LPG) 37 mbar



GAS FIREPLACES (With manual control system)

# GALIO INSERT MANUAL



# GALIO CORTEN/GALIO BLACK MANUAL



# **FEATURES**

- 2 fuel variants: Gas Cylinder (propane or propanebutane mixture) or Natural Gas
- Manual control
- Thermocouple
- Smooth flame height regulation
- For custom-build housing
- Easy to install



CONTRO

# **FEATURES**

- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Manual control
- Thermocouple
- Smooth flame height regulation
- Freestanding



CONTROL



	GALIO INSERT MANUAL / GALIO BLACK MANUAL / GALIO CORTEN MANUAL		
+4+	(NG) max. 13.6 kW (LPG) max. 11.8 kW		
GAS	(NG) max. 1.22 m³/h (LPG) max. 0.93 kg/h		
<b>(</b> )	(NG) 20 mbar (LPG) 37 mbar		
i	31.0 kg		





GAS FIREPLACES (With automatic control system)

# **GALIO FIRE PIT INSERT AUTOMATIC**



#### **FEATURES**

- Automatic control system
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- For custom-build housing
- Easy to install

# GALIO FIRE PIT CORTEN/BLACK AUTOMATIC




#### **FEATURES**

- Automatic control system
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Remote control
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Freestanding



	GALIO FIRE PIT INSERT AUTOMATIC	GALIO FIRE PIT CORTEN AUTOMATIC GALIO FIRE PIT BLACK AUTOMATIC
+4+	(NG) max. 4.7 kW (LPG) max. 5.1 kW	
GAS	(NG) max. U.S m/h	
	(NG) 20 mbar (LPG) 37 mbar	
i	15.0 kg	65.0 kg





GAS FIREPLACES (With automatic control system)

# **GALIO STAR INSERT AUTOMATIC**





# **FEATURES**

- Automatic control system
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- For custom-build housing
- Easy to install

#### **FEATURES**

- Automatic control system
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Remote control
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Freestanding



	GALIO STAR INSERT AUTOMATIC	GALIO STAR CORTEN AUTOMATIC GALIO STAR BLACK AUTOMATIC
+4+	(NG) max. 16.4 kW (LPG) max. 17.3 kW	
GAS	(NG) max. 1.5 m³/h   53.0 ft³/h (LPG) max. 1.4 kg/h  3.1 lbs/h	
	(NG) 20 mbar   8.0°wc (LPG) 37 mbar   14.9°wc	
i	17.0 kg / 37.5 lbs	37.0 kg / 81.6 lbs





GAS FIREPLACES (With automatic and manual control system)

# **GALIO H INSERT AUTOMATIC**



# FEATURES

- Automatic control system
- 2 fuel variants: Gas Cylinder (propane or propane-butane mixture) or Natural Gas
- Remote control
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install
- For custom-build housing

# **OPTIONAL ACCESSORIES**





# LIGHTHOUSE



#### FFATURES


- Fueled with propane or propane-butane mixture
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding



	GALIO H INSERT AUTOMATIC	LIGHTHOUSE
+4+	(NG) max. 9.4 kW (LPG) max. 11.8 kW	(LPG) max. 7.0 - 10.0 kW
GAS	(NG) max. 1.0 m $^3/h$ (LPG) max. 0.9 kg/h	(LPG) max. 0.50 - 0.65 kg/h
	(NG) 20 mbar (LPG) 37 mbar	(LPG) 37 mbar
i	23.6 kg	27.5 kg









All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability arising out of the application or use of any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.

© Copyright 2023, Planika Sp. z o.o. All rights reserved.

www.planika.com